Serial No.: 09/830,447 Amdt. dated October 3, 2007 in reply to final Office Action mailed May 3, 2007

Amendments to the Claims:

A current listing of the claims is provided below for convenience.

- 1. (currently amended) A method of generating a list of offsets, in time, phase, frequency, or derivatives thereof, or their equivalents expressed as offsets in distance or derivatives thereof, of a plurality of transmission source signals, received at corresponding to a virtual location measurement unit at a given location, relative to a common reference, the method comprising
- (a) acquiring data from plural receivers, the positions of which may be known or determined, the data from a receiver comprising offsets in time, phase, frequency, or derivatives thereof, respectively of signals received from the transmission sources relative to a reference source in each receiver or to each other; and
- (b) combining the acquired data and calculating the list of offsets relative to the common reference.
- 2. (currently amended) A method of generating a list of offsets, in time, phase, frequency, or derivatives thereof, or their equivalents expressed as offsets in distance or derivatives thereof, of a plurality of transmission source signals, received at corresponding to a virtual location measurement unit at a given location, relative to a common reference, the method comprising
- (a) acquiring data from plural receivers, the positions of which may be known or determined, the data from a receiver being representative of the received signals;
- (b) determining from the acquired data the offsets in time, phase, frequency, or derivatives thereof, respectively of signals received from the transmission sources relative to a reference source or to each other; and
- (c) combining the offsets so determined and calculating the list of offsets relative to the common reference.

41253

Serial No.: 09/830,447

Amdt. dated October 3, 2007

in reply to final Office Action mailed

May 3, 2007

3. (original) A radio positioning method for determining the position of one or more receivers

the positions of which are unknown, which method includes the method of claim 1 or claim 2.

4. (original) A radio positioning method according to claim 3, wherein the common reference

comprises an external reference.

5. (original) A radio positioning method according to claim 4, wherein the common reference

comprises a GPS signal.

6. (previously presented) A radio positioning method according to claim 3, wherein the step of

acquiring data from said plural receivers includes instigating acquisition of said data from a

common location.

7. (previously presented) A radio positioning method according to claim 3, wherein the step of

acquiring data from said plural receivers includes instigating acquisition of said data from each

said receiver at times determined by each said receiver.

8. (currently amended) Apparatus for generating a list of offsets, in time, phase, frequency, or

derivatives thereof, or their equivalents expressed as offsets in distance or derivatives thereof, of

a plurality of transmission source signals, received corresponding to a virtual location

measurement unit at a given location, relative to a common reference, the apparatus comprising

(a) means for acquiring data from plural receivers, the positions of

which may be known or determined, the data from a receiver comprising

offsets in time, phase, frequency, or derivatives thereof, respectively of signals

received from the transmission sources relative to a reference source in each

receiver or to each other; and

(b) means for combining the acquired data and calculating the list of

offsets relative to the common reference.

4

Serial No.: 09/830,447

Amdt. dated October 3, 2007

in reply to final Office Action mailed

May 3, 2007

9. (currently amended) Apparatus for generating a list of offsets, in time, phase, frequency, or

derivatives thereof, or their equivalents expressed as offsets in distance or derivatives thereof, of

a plurality of transmission source signals, received corresponding to a virtual location

measurement unit at a given location, relative to a common reference, the apparatus comprising

(a) means for acquiring data from plural receivers, the positions of

which may be known or determined, the data from a receiver being representative of the received

signals;

(b) means for determining from the acquired data the offsets in time, phase,

frequency, or derivatives thereof, respectively of signals received from the

transmission sources relative to a reference source or to each other; and

(c) means for combining the offsets so determined and calculating the list

of offsets relative to the common reference.

10. (original) A radio positioning system including apparatus according to claim 8 or to claim

9.

11. (original) A radio positioning system according to claim 10, wherein the common reference

comprises a reference external to said receivers.

12. (original) A radio positioning system according to claim 11, wherein the common reference

comprises a GPS signal.

13. (previously presented) A radio positioning system according to claim 10, wherein the means

for acquiring data from said plural receivers includes a computer system arranged to instigate the

transfer of said data from said plural receivers to said computer system at times determined by

said computer system.

5

41253

Serial No.: 09/830,447

Amdt. dated October 3, 2007

in reply to final Office Action mailed

May 3, 2007

14. (previously presented) A radio positioning system according to claim 10, wherein the means for acquiring data from said plural receivers includes a computer system, and including means for instigating said acquisition of data from each said receiver at times determined by each said receiver.

15. (previously presented) A digital telephone network, including a radio positioning system according to claim 10.